



## BEARING OF AMERICA CORP.



UCUP205 Bearing 2D drawings and 3D CAD models

0.984 Inch | 25 Millimeter x 1.343 Inch | 34.1  
Millimeter x 1.437 Inch | 36.5 Millimeter NTN  
UCUP205 Pillow Block Bearings

Bearing No. UCUP205

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.7
EAN	4547359230123
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Tap Base Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10 Millimeter
Relubricatable	No
Insert Part Number	UC205
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Light Duty   Wide Inner Race   Has Flinger
Long Description	2 Bolt Tap Base Pillow Block; 25MM Bore; 36.5MM Base to Center Height; Set Screw Mount;



## BEARING OF AMERICA CORP.

	Ball Bearing; No Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UCUP205
Weight / LBS	1.543
B	1.437 Inch   36.5 Millimeter
Nominal Bolt Center to Center	2.2 Inch   56 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	2.2 Inch   56Millimeter
d	0.984 Inch   25 Millimeter
D	1.343 Inch   34.1 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
mounting:	Two-Bolt Base
overall length:	84 mm
bore diameter:	25 mm
overall height:	72 mm
bore type:	Round
finish/coating:	Uncoated
base to bore centerline:	1.4370 in
overall width:	1-11/32 in
duty type:	Light Duty
base width:	38 mm
housing material:	Cast Iron
bolt center-to-center length:	56 mm



## BEARING OF AMERICA CORP.

locking device:	Set Screw
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCUP2
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC205D1